

TB1

Portable Turbidimeter

High quality, easy to use and totally waterproof



Friendly use, Supply and Safety

The TB1 portable turbidimeter allows you to measure, in a simple and precise way, the turbidity of aqueous samples. The measurement is supplied in Nephelometric Turbidity Units (NTU). The compact design allows easy, on-site handling and is highly resistant wear and tear

- Portable
- Intuitive and easy to calibrate
- Premium results provided in seconds
- Up to 1200 samples can be tested with one set of batteries
- Supplied with 4 calibration standards (800, 100, 20 and 0.02 NTU)
- IP 67 protection against ingress of particles and water
- Tough ABS casing
- Measurement to ISO 7027 standard



INSTRUMENT - CODE

TB1 R109B12150



TECHNICAL DATA

CONSTRUCTION MATERIAL	ABS
MEASUREMENT METHOD	ISO 7027 compliant nephelometric method (90°)
CALIBRATION STANDARD	0.02, 20, 100, 800 NTU
LIGHT SOURCE	Infrared emitting-diode (850 nm wavelength)
PROTECTION DEGREE CEI EN 60529	IP 67
WEIGHT	0.2 Kg (0.4 lb)
DIMENSIONS (WXHXD)	68x50x155 mm (2.7x2x6.1 in)
MEASUREMENT RANGE	From 0 to 1000 NTU
ACCURACY	$\pm 2\%$ in the range from 0 to 500 NTU $\pm 3\%$ in the range from 501 to 1000 NTU
REPEATABILITY	± 0.01 NTU or $\pm 1\%$ of reading, whichever is greater with gel samples









We reserve the right to make technical alterations We do not assume liability for errors in printing, typing or transmission

DESIGNED AND MANUFACTURED IN ITALY

USA

I ATAM

NY 11729 - U.S.

Tel. +1 631 573 6002

velpusa@velp.com

velplatam@velp.com

40, Burt Drive, Unit #1, Deer Park



ITALY - HQ Via Stazione 16 20865 Usmate (MB) Italy Tel. +39 039 628811 velpitalia@velp.com

INDIA velpindia@velp.com

CHINA

Xinlong Rd Building 28, Lane 1333 Shanghai city - China Tel. +8621 34500630 velpchina@velp.com

